

Notice of Allowability	Application No.	Applicant(s)	
	10/773,093	SCHAPIRO ET AL.	
	Examiner	Art Unit	
	Thai-Ba Trieu	3748	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 03/ 21/2005.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 21 April 2005 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received. .
 2. ☐ Certified copies of the priority documents have been received in Application No. _____ .
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ . |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>03//21/2005</u> | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

This Office Action is in response to the Amendment filed on March 21, 2005. Applicant's cooperation in correcting the informalities in the drawing, specification, and abstract is appreciated. Claims 1, 3, 11, 17, and 19 were amended.

EXAMINER'S AMENDMENT

The application has been amended as follows:

- On Page 12, 2nd paragraph, lines 8-9, "***A longitudinal aperture [106] 60 through the rotary piston 60. The rotary piston 106 has...***" has been replaced by -- ***A longitudinal aperture 106 through the rotary piston 60. The rotary piston 60 has...*** – (for correcting typo error) (See Amendment filed on March 21, 2005).

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior art fails to disclose or render obvious the claimed combination of a rotary machine rotating with one of opposite nappe sections in an inner wall section about an associated instantaneous axis of rotation and is sliding with the opposite nappe section along the opposite second inner wall section of the chamber and is reaching a stop position there, including:

Art Unit: 3748

" Regarding claim 1:

fixing means for temporarily fixing said instantaneous axis of rotation for the subsequent interval of movement, when said changed position has been reached.

Regarding claim 19:

the rotary piston having two diametrically opposite main apexes with the two diametrically opposite cylindrical nappe surfaces, and the piston-side possible instantaneous axes of rotation are located on the center interconnecting the main apexes."

Conclusion

The IDS (PTO-1449) filed on March 21, 2005 has been considered. An initialized copy is attached hereto.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thai-Ba Trieu whose telephone number is (571) 272-4867. The examiner can normally be reached on Monday - Thursday (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3748

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTB
July 07, 2005


Thai-Ba Trieu
Primary Examiner
Art Unit 3748

REPLACEMENT SHEET



Approved for entry
07107105
TTB




Fig. 2